

	Application No.	Applicant(s)	
·	Application No.		
Notice of Allowability	10/731,513	DOSHI, SHAILESH	RATILAL
Notice of Allowability	Examiner	Art Unit	
	Patricia L. Nordmeyer	1772	<u> </u>
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. A This communication is responsive to the Amendment after	Non-Final Rejection received April 1	<u>8, 2006</u> .	
2. The allowed claim(s) is/are <u>1-5</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: `1. ☐ Certified copies of the priority documents have			
2. Certified copies of the priority documents have been received in Application No			
Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be subminification (PTO-152) which give			OTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
			,
•			
Attachment(s)			
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application (PT0	D-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Date 8), 7. ⊠ Examiner's Amendm	ent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	nt of Reasons for Allo	wance
5. Signogram Material	9.		
_			-

DETAILED ACTION

Election/Restrictions

1. This application is in condition for allowance except for the presence of claims 6 - 8 directed to an invention non-elected without traverse. Accordingly, claims 6 - 8 have been cancelled.

Drawings

2. The drawings were received on December 9, 2003. These drawings are accepted by the Examiner.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 6 - 8 have been cancelled.

4. The following is an examiner's statement of reasons for allowance:

Application/Control Number: 10/731,513

Art Unit: 1772

The closest prior art of record fails to teach or suggest the recited multilayered article. Independent claim 1 identifies the uniquely distinct features of a multilayered article having outer surfaces comprising aliphatic polyamides containing one or more oxidation stabilizers and inner surfaces comprising semi-aromatic polyamides free of oxidation stabilizers. The closest prior art of record, Weber et al. (EP 0 530 538) and Stevens et al. (WO 98/10927), disclose multilayered products having inner and outer surfaces of polyamides, which either singularly or in combination, fail to anticipate or render obvious the above limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Nordmeyer whose telephone number is (571) 272-1496. The examiner can normally be reached on Mon.-Thurs. from 7:00-4:30 & alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Y. Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/731,513 Page 4

Art Unit: 1772

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patricia L. Nordmeyer Examiner

Art Unit 1772

pln

HAROLD PYON
SUPERVISORY PATENT EXAMINER

6/8/06